

## Circular

### To Qualified health insurance companies and The Saudi Red Crescent Authority (SRCA)

Proceeding from the competence of the Council of Health Insurance (CHI) to prepare the financial compensation for the ambulatory medical services provided by the Saudi Red Crescent Authority (SRCA), based on the text of Paragraph (a) of Article Eleven (11) of the Cooperative Health Insurance Law. And with reference to Circular issued by the Council No. (534) dated 11/20/2019 regarding applying the regulatory guide for the mechanism of work between the SRCA and insurance companies.

In confirmation of what was clarified in the workshops which held by CHI with SRCA and insurance companies, regarding organizing the mechanism of work procedures and collection of fees for ground ambulatory services provided to the insureds.

The General Secretariat of the CHI would like to inform you of updating the financial compensation, the coding system for ambulance services in accordance with the Saudi Billing System (SBS), and in line with the Medical Priority Dispatch System (MPDS), and the medical priority dispatch system. Accordingly, SRCA and insurance companies must comply with the (attached) lists and work to update their systems and activate the use of services based on them, starting from 1/2/2023 AD.

For more information, please contact: [info@chi.gov.sa](mailto:info@chi.gov.sa).

This circular shall be communicated to whomever is required to take note and act accordingly.

## تعليم

### لكل شركات التأمين الصحي المؤهلة وهيئة الهلال الأحمر السعودي

انطلاقاً من اختصاص مجلس الضمان الصحي في إعداد قائمة المقابل المالي للخدمات الطبية الإسعافية المقدمة من هيئة الهلال الأحمر السعودي وذلك بناءً على نص الفقرة (أ) من المادة الحادية عشرة من نظام الضمان الصحي التعاوني. وإشارة إلى التعليم الصادر من المجلس رقم (534) وتاريخ 2019/11/20 بشأن تطبيق الدليل التنظيمي لآلية العمل ما بين هيئة الهلال الأحمر السعودي وشركات التأمين.

وتأكيداً على ما تم توضيحه في ورش العمل المنعقدة من قبل المجلس مع هيئة الهلال الأحمر وشركات التأمين، حال تنظيم إجراءات آلية العمل وتحصيل المقابل المالي للخدمات الإسعافية الأرضية المقدمة للمؤمن لهم.

تود الأمانة العامة للمجلس الإفاده بتحديث قائمة المقابل المالي ونظام الترميز لخدمات النقل الإسعافي بما يتوافق مع نظام الفوترة السعودي (SBS) وتماشياً مع نظام أولوية الفرز الطبي للخدمات الإسعافية (Medical Priority Dispatch)، بالإضافة إلى نظام أولوية الفرز الطبي. وعليه يتغير على هيئة الهلال الأحمر السعودي وشركات التأمين الالتزام بالقواعد (المرفقة) والعمل على تحديث أنظمتهم وتفعيل استخدام الخدمات بناءً عليها، وذلك ابتداءً من تاريخ 1/2/2023.

ولمزيد من المعلومات يرجى التواصل عبر البريد الإلكتروني [info@chi.gov.sa](mailto:info@chi.gov.sa).  
بلغ هذا التعليم من يلزم للإحاطة والعمل بموجبه.

**المرفق رقم 1 : قائمة المقابل المالي للخدمات الإسعافية**

**Appendix (1): EMS prices list**

SN	Code	Service	Description	Guidelines	Suggested Price (SAR)
1	850000000	BLS Ambulance response and treatment without transport	Basic Life Support Ambulance response and the team has physically attended and treated the patient without transport.	On-site medical service without transportation - Basic Life Support	400
2	850000100	Basic Life Support transport up to 50 km	Patient transport that was carried out by a BLS team up to 50 km distance excluding medications.	Code includes ambulance transport for 50 km , team fees, routine service and disposable supplies but excludes any medications given, BLS used for low priority cases.	600
3	851000000	Basic Life Support Ambulance extra distance charge per 10 km exceeding first 50 km. (Add-on code)	Basic Life Support Ambulance extra distance charge per 10 km exceeding first 50 km. (Add-on code)	This is an add-on code for 85000-01-00 for each additional 10 km distance more than the first 50 km	35 per 10 km
4	851100000	Basic Life Support - Standby; per hour	BLS team deployed to a dynamic post, on standby; calculated by hour	Attendance of the BLS ambulance for any event, in a state of readiness; calculation for code per each hour  Direct contracting with non insurance	300
5	851200000	Basic Life Support transport declination	A patient transport request that was declined by the patient after SRCA dispatch has deployed a BLS team and the team has physically attended to the patient	Not for insurance reimbursement	0
6	851300000	Basic Life Support cancelation	A patient transport request that was canceled after SRCA dispatch has	Not for insurance reimbursement	0

			deployed a BLS team and before the team has physically attended to the patient		
7	852000000	ALS Ambulance response and treatment without transport	Advanced Life Support Ambulance response and the team has physically attended and treated the patient without transport.	On-site medical service without transportation - Advanced Life Support	700
8	852000100	Advanced Life Support transport up to 50 km	Patient transport that was carried out by a ALS team, up to 50 km distance, in cases of mid to high priority and possibly life threatening situations, excluding medications.	Code includes ambulance transport up to 50 km, team fees, routine services and disposable supplies but excludes any medications given, ALS used for high-priority cases	1000
9	853000000	ALS Ambulance extra distance charge, after 50 km up to 300 km (add-on code)	Advance Life Support Ambulance extra distance charge per 10 km exceeding first 50 km up to 300 km (add-on code)	This code is an add-on code for 85200-01-00 for each additional 10 km distance more than the first 50 km	70 per 10 km
10	853100000	Advanced Life Support - Standby per hour	ALS team deployed to a dynamic post, on standby; calculated by hour.	Attendance of the ALS ambulance for any event, in a state of readiness, calculation for code per each hour Direct contracting with non insurance	500
11	853200000	Advanced Life Support transport declination	A patient transport request that was declined by the patient after EMS dispatch has deployed an ALS team and the team has physically attended to the patient	Not for insurance reimbursement	0
12	853300000	Advanced Life Support cancelation	Defined as a patient transport request that was canceled after EMS dispatch has deployed an	Not for insurance reimbursement	0

			ALS team and before the team has physically attended to the patient		
13	854000000	Advanced Life Support service by specialized team (add-on code)	The deployment of a specialized team for highly specialized patient care service that may or may not include transport.	This code is used to report the attendance of a specialized team in addition to the ALS ambulance. Must be reported with ALS codes.(** list codes here**) Examples of this service include hazardous material response, tactical event response, urban search and rescue response, wilderness response and others.	1000
14	855000000	Aeromedical transport (Medivac)	Patient transport that was carried out by an aeromedical services team.	For All Medivac transport - Extra insurance benefit	50,000 to 100,000

المرفق رقم (2): نظام أولوية الفرز الإسعافي

Appendix (2): Medical Priority Dispatch System

Complaint	Code	Level	Subset	Determinant Descriptors	Codes	Call Type	Mode
Abdominal Pains/Problems	<b>1</b>	<b>D</b>	<b>1</b>	Not alert	<b>01D01</b>	Pri 1, Med Emer	
				Override	<b>01D00</b>	Pri 1, Med Emer	
				Override	<b>01C00</b>	Pri 2, Med Emer	
				SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	<b>01C01</b>	Pri 1, Med Emer	
				Known aortic aneurysm	<b>01C02</b>	Pri 1, Med Emer	
				Fainting or near fainting ≥ 50	<b>01C03</b>	Pri 1, Med Emer	
				Females with fainting or near fainting 12-50	<b>01C04</b>	Pri 1, Med Emer	
				Males with pain above navel ≥ 35	<b>01C05</b>	Pri 2, Med Emer	
				Females with pain above naval ≥ 45	<b>01C06</b>	Pri 2, Med Emer	
				Abdominal pain	<b>01A01</b>	Pri 2, Med Emer	
Allergies (Reactions) / Envenomations (Stings,Bites)	<b>2</b>	<b>E</b>	<b>0</b>	Override	<b>02E00</b>	Pri 1, Med Emer	
				INEFFECTIVE BREATHING *(to be selected from Case Entry only)	<b>02E01</b>	Pri 1, Med Emer	
				Override	<b>02D00</b>	Pri 1, Med Emer	
				Not alert	<b>02D01</b>	Pri 1, Med Emer	
				DIFFICULTY SPEAKING BETWEEN BREATHS	<b>02D02</b>	Pri 1, Med Emer	
				Swarming ATTACK (bee, wasp, hornet)	<b>02D03</b>	Pri 1, Med Emer	
				Snakebite	<b>02D04</b>	Pri 2, Med Emer	
				Override	<b>02C00</b>	Pri 2, Med Emer	
				Difficulty breathing or swallowing	<b>02C01</b>	Pri 1, Med Emer	
				History of severe allergic reaction	<b>02C02</b>	Pri 2, Med Emer	

		<b>B</b>	<b>0</b>	<b>Override</b>	<b>02B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>02B01</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
		<b>A</b>	<b>1</b>	<b>No difficulty breathing or swallowing (rash, hives, or itching may be present)</b>	<b>02A01</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>2</b>	<b>Spider bite</b>	<b>02A02</b>	<i>Med Transfer</i>	
Animal Bites/Attacks	<b>3</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>03D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>03D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>03D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>03D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>DANGEROUS body area</b>	<b>03D04</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>Large animal</b>	<b>03D05</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>6</b>	<b>EXOTIC animal</b>	<b>03D06</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>7</b>	<b>ATTACK or multiple animals</b>	<b>03D07</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>03B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS body area</b>	<b>03B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS hemorrhage</b>	<b>03B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>03B03</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS body area</b>	<b>03A01</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
		<b>A</b>	<b>2</b>	<b>NON-RECENT (<math>\geq 6</math> hours) injuries (without priority symptoms)</b>	<b>03A02</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>3</b>	<b>SUPERFICIAL bites</b>	<b>03A03</b>	<i>Med Transfer</i>	
Assault/Sexual Assault	<b>4</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>04D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>04D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>04D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>04D03</b>	<i>Pri 1, Med Emer</i>	

		D	4	Multiple victims	04D04	Pri 1, Med Emer	
		B	0	Override	04B00	Pri 2, Med Emer	
		B	1	POSSIBLY DANGEROUS body area	04B01	Pri 2, Med Emer	
		B	2	SERIOUS hemorrhage	04B02	Pri 2, Med Emer	
		B	3	Unknown status/Other codes not applicable	04B03	Pri 2, Med Emer	
		A	1	NOT DANGEROUS body area	04A01	Med Transfer	
		A	2	NON-RECENT ( $\geq 6$ hours) injuries (without priority symptoms)	04A02	Med Transfer	
Back Pain (Non-Traumatic or Non-Recent Trauma)	5	D	0	Override	05D00	Pri 1, Med Emer	
		D	1	Not alert	05D01	Pri 1, Med Emer	
		C	0	Override	05C00	Pri 2, Med Emer	
		C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) $\geq 50$	05C01	Pri 2, Med Emer	
		C	2	Known aortic aneurysm	05C02	Pri 2, Med Emer	
		C	3	Fainting or near fainting $\geq 50$	05C03	Pri 2, Med Emer	
		A	1	NON-TRAUMATIC back pain	05A01	Med Transfer	
		A	2	NON-RECENT ( $\geq 6$ hours) injuries (without priority symptoms)	05A02	Med Transfer	
Breathing Problems	6	E	1	Override	06E00	Pri 1, Med Emer	
		E	1	INEFFECTIVE BREATHING *(to be selected from Case Entry only)	06E01	Pri 1, Med Emer	
		D	0	Override	06D00	Pri 1, Med Emer	
		D	1	Not alert	06D01	Pri 1, Med Emer	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	06D02	Pri 1, Med Emer	
		D	3	CHANGING COLOR	06D03	Pri 1, Med Emer	
		D	4	Clammy	06D04	Pri 1, Med Emer	
		C	1	Abnormal breathing	06C01	Pri 2, Med Emer	

Burns (Scalds) / Explosion (Blast)	7	D	0	Override	07D00	Pri 1, Med Emer	
		D	1	Multiple victims	07D01	Pri 1, Med Emer	
		D	2	Unconscious or Arrest	07D02	Pri 1, Med Emer	
		D	3	Not alert	07D03	Pri 1, Med Emer	
		D	4	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	07D04	Pri 1, Med Emer	
		C	0	Override	07C00	Pri 2, Med Emer	
		C	1	Building fire with persons reported inside	07C01	Building Fire	
		C	2	Difficulty breathing	07C02	Pri 1, Med Emer	
		C	3	Burns $\geq$ 18% body area	07C03	Pri 2, Med Emer	
		C	4	<b>SIGNIFICANT FACIAL</b> burns	07C04	Pri 1, Med Emer	
		B	0	Override	07B00	Pri 2, Med Emer	
		B	1	Blast injuries ( <b>without</b> priority symptoms)	07B01	Pri 2, Med Emer	
		B	2	Unknown status/Other codes not applicable	07B02	Pri 2, Med Emer	
		A	1	Burns $\leq$ 18% body area	07A01	Pri 2, Med Emer	Quiet
		A	2	Fire alarm (unknown situation)	07A02	Business Alarm	
		A	3	Sunburn or <b>MINOR</b> burns ( $\leq$ hand size)	07A03	Med Transfer	
Carbon Monoxide/Inhalation/Hazmat/ CBRN	8	D	0	Override	08D00	CO w/ Symptoms	
		D	1	Unconscious or Arrest	08D01	CO w/ Symptoms	
		D	2	Not alert	08D02	CO w/ Symptoms	
		D	3	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	08D03	CO w/ Symptoms	
		D	4	Multiple victims	08D04	Haz-Mat	

		<b>D</b>	<b>5</b>	<b>Unknown status/Other codes not applicable</b>	<b>08D05</b>	<i>CO w/ Symptoms</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>08C00</b>	<i>CO w/ Symptoms</i>	
		<b>C</b>	<b>1</b>	<b>Alert with difficulty breathing</b>	<b>08C01</b>	<i>CO w/ Symptoms</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>08B00</b>	<i>CO w/ Symptoms</i>	
		<b>B</b>	<b>1</b>	<b>Alert without difficulty breathing</b>	<b>08B01</b>	<i>CO w/ No Symptoms</i>	
		<b>Ω</b>	<b>1</b>	<b>Carbon monoxide detector alarm (without priority symptoms)</b>	<b>08O01</b>	<i>CO w/ No Symptoms</i>	
Cardiac or Respiratory Arrest / Death	<b>9</b>	<b>E</b>	<b>0</b>	<b>Override</b>	<b>09E00</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>1</b>	<b>Not breathing at all</b>	<b>09E01</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>2</b>	<b>Breathing uncertain (AGONAL)</b>	<b>09E02</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>3</b>	<b>Hanging</b>	<b>09E03</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>4</b>	<b>Strangulation</b>	<b>09E04</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>5</b>	<b>Suffocation</b>	<b>09E05</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>6</b>	<b>Underwater</b>	<b>09E06</b>	<i>Water Rescue</i>	
		<b>D</b>	<b>0</b>	<b>Override</b>	<b>09D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>INEFFECTIVE BREATHING</b> (discovered during Key Questioning only) * (select only when linking from other Chief Complaint Protocols)	<b>09D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>OBVIOUS or EXPECTED DEATH</b> <b>questionable</b>	<b>09D02</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>09B00</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>OBVIOUS DEATH</b> unquestionable (a through i)	<b>09B01</b>	<i>NOTIFY PD</i>	
		<b>Ω</b>	<b>1</b>	<b>EXPECTED DEATH</b> unquestionable (x through z)	<b>09O01</b>	<i>NOTIFY PD</i>	

Chest Pain (Non-Traumatic)	<b>10</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>10D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	Not alert	<b>10D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>10D02</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	<b>CHANGING COLOR</b>	<b>10D03</b>	Pri 1, Med Emer	
		<b>D</b>	<b>4</b>	Clammy	<b>10D04</b>	Pri 1, Med Emer	
		<b>C</b>	<b>0</b>	Override	<b>10D00</b>	Pri 2, Med Emer	
		<b>C</b>	<b>1</b>	Abnormal breathing	<b>10C01</b>	Pri 2, Med Emer	
		<b>C</b>	<b>2</b>	Heart attack or angina history	<b>10C02</b>	Pri 2, Med Emer	
		<b>C</b>	<b>3</b>	Cocaine	<b>10C03</b>	Pri 1, Med Emer	
		<b>C</b>	<b>4</b>	Breathing normally $\geq 35$	<b>10C04</b>	Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	Breathing normally $\leq 35$	<b>10A01</b>	Pri 2, Med Emer	
Choking	<b>11</b>	<b>E</b>	<b>0</b>	Override	<b>11E00</b>	Pri 1, Med Emer	
		<b>E</b>	<b>1</b>	<b>COMPLETE obstruction/INEFFECTIVE BREATHING</b>	<b>11E01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>0</b>	Override	<b>11D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	Abnormal breathing ( <b>PARTIAL</b> obstruction)	<b>11D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	Not alert	<b>11D02</b>	Pri 1, Med Emer	
		<b>A</b>	<b>1</b>	Not choking now (can talk or cry, is alert and breathing normally)	<b>11A01</b>	Pri 2, Med Emer	
Convulsions/Seizures	<b>12</b>	<b>D</b>	<b>0</b>	Override	<b>12D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	Not breathing (after Key Questioning)	<b>12D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	<b>CONTINUOUS or MULTIPLE seizures</b>	<b>12D02</b>	Pri 2, Med Emer	
		<b>D</b>	<b>3</b>	<b>AGONAL/INEFFECTIVE BREATHING</b>	<b>12D03</b>	Pri 1, Med Emer	
		<b>D</b>	<b>4</b>	Effective breathing not verified $\geq 35$	<b>12D04</b>	Pri 1, Med Emer	

		<b>C</b>	<b>0</b>	<b>Override</b>	<b>12C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>FOCAL seizure (not alert)</b>	<b>12C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Pregnancy</b>	<b>12C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Diabetic</b>	<b>12C03</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>12B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Effective breathing not verified ≤ 35</b>	<b>12B01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Not seizing now and breathing effectively (verified)</b>	<b>12A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>FOCAL seizure (alert)</b>	<b>12A02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>3</b>	<b>Impending seizure (aura)</b>	<b>12A03</b>	<i>Pri 2, Med Emer</i>	
Diabetic Problems	<b>13</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>13D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious</b>	<b>13D01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>13C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>13C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal behavior</b>	<b>13C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Abnormal breathing</b>	<b>13C03</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Alert and behaving normally</b>	<b>13A01</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
Drowning (Near) / Diving / SCUBA Accident	<b>14</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>14D00</b>	<i>Water Rescue</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>14D01</b>	<i>Water Rescue</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>14D02</b>	<i>Water Rescue</i>	
		<b>D</b>	<b>3</b>	<b>DIVING or suspected neck injury</b>	<b>14D03</b>	<i>Water Rescue</i>	
		<b>D</b>	<b>4</b>	<b>SCUBA accident</b>	<b>14D04</b>	<i>Water Rescue</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>14C00</b>	<i>Water Rescue</i>	
		<b>C</b>	<b>1</b>	<b>Alert with abnormal breathing</b>	<b>14C01</b>	<i>Water Rescue</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>14B00</b>	<i>Water Rescue</i>	

		<b>B</b>	<b>1</b>	Alert and breathing normally (injuries or in water)	<b>14B01</b>	<i>Water Rescue</i>	
		<b>B</b>	<b>2</b>	Unknown status/Other codes not applicable	<b>14B02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	Alert and breathing normally (no injuries and out of water)	<b>14A01</b>	<i>Pri 2, Med Emer</i>	
Electrocution/Lightning	<b>15</b>	<b>E</b>	<b>0</b>	Override	<b>15E00</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>1</b>	<b>NOT BREATHING/INEFFECTIVE BREATHING</b>	<b>15E01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>0</b>	Override	<b>15D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	Unconscious	<b>15D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	Not disconnected from power	<b>15D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	Power not off or hazard present	<b>15D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>EXTREME FALL (≥ 30ft/10m)</b>	<b>15D04</b>	<i>Rescue</i>	
		<b>D</b>	<b>5</b>	<b>LONG FALL</b>	<b>15D05</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>6</b>	Not alert	<b>15D06</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>7</b>	Abnormal breathing	<b>15D07</b>	<i>Pri 2, Med Emer</i>	
Eye Problems / Injuries	<b>16</b>	<b>D</b>	<b>8</b>	Unknown status/Other codes not applicable	<b>15D08</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	Alert and breathing normally	<b>15C01</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>0</b>	Override	<b>16D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	Not alert	<b>16D01</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	Override	<b>16B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>SEVERE</b> eye injuries	<b>16B01</b>	<i>Pri 2, Med Emer</i>	
Falls	<b>17</b>	<b>D</b>	<b>1</b>	<b>MODERATE</b> eye injuries	<b>16A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>MINOR</b> eye injuries	<b>16A02</b>	<i>Pri 2, Med Emer</i>	Quiet
		<b>A</b>	<b>3</b>	<b>MEDICAL</b> eye problems	<b>16A03</b>	<i>Med Transfer</i>	
Falls	<b>17</b>	<b>D</b>	<b>0</b>	Override	<b>17D00</b>	<i>Rescue</i>	
		<b>D</b>	<b>1</b>	<b>EXTREME FALL (≥ 30ft/10m)</b>	<b>17D01</b>	<i>Rescue</i>	

		<b>D</b>	<b>2</b>	<b>Unconscious or Arrest</b>	<b>17D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Not alert</b>	<b>17D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>17D04</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>LONG FALL</b>	<b>17D05</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>17B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS body area</b>	<b>17B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS hemorrhage</b>	<b>17B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>17B03</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>0</b>	<b>Override</b>	<b>17A00</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS body area</b>	<b>17A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>NON-RECENT (<math>\geq 6</math> hours) injuries (without priority symptoms)</b>	<b>17A02</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>3</b>	<b>PUBLIC ASSIST (no injuries and no priority symptoms)</b>	<b>17A03</b>	<i>Assist with Lifting</i>	
Headache	<b>18</b>	<b>C</b>	<b>0</b>	<b>Override</b>	<b>18C00</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>18C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>18C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Speech problems</b>	<b>18C03</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Sudden onset of severe pain</b>	<b>18C04</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Numbness</b>	<b>18C05</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Paralysis</b>	<b>18C06</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>Change in behavior (<math>\leq 3</math> hrs)</b>	<b>18C07</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>18B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>18B01</b>	<i>Pri 2, Med Emer</i>	<i>Quiet</i>
		<b>A</b>	<b>1</b>	<b>Breathing normally</b>	<b>18A01</b>	<i>Med Transfer</i>	
Heart Problems / A.I.C.D.	<b>19</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>19D00</b>	<i>Pri 1, Med Emer</i>	

		<b>D</b>	<b>1</b>	Not alert <b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>19D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	<b>CHANGING COLOR</b>	<b>19D02</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	<b>Clammy</b>	<b>19D03</b>	Pri 1, Med Emer	
		<b>D</b>	<b>4</b>	Just resuscitated and/or defibrillated (external)	<b>19D04</b>	Pri 1, Med Emer	
		<b>D</b>	<b>5</b>	Override	<b>19D05</b>	Pri 1, Med Emer	
		<b>C</b>	<b>0</b>	Firing of A.I.C.D	<b>19C00</b>	Pri 2, Med Emer	
		<b>C</b>	<b>1</b>	Abnormal breathing	<b>19C01</b>	Pri 2, Med Emer	
		<b>C</b>	<b>2</b>	Chest pain ≥ 35	<b>19C02</b>	Pri 2, Med Emer	
		<b>C</b>	<b>3</b>	Cardiac history	<b>19C03</b>	Pri 2, Med Emer	
		<b>C</b>	<b>4</b>	Cocaine	<b>19C04</b>	Pri 2, Med Emer	
		<b>C</b>	<b>5</b>	Heart rate ≤ 50 bpm or ≥ 130 bpm (without priority symptoms)	<b>19C05</b>	Pri 1, Med Emer	
		<b>C</b>	<b>6</b>	Unknown status/Other codes not applicable	<b>19C06</b>	Pri 2, Med Emer	
		<b>C</b>	<b>7</b>	Override	<b>19C07</b>	Pri 2, Med Emer	
		<b>B</b>	<b>0</b>	Heart rate ≥ 50 bpm and ≤ 130 bpm (without priority symptoms)	<b>19B00</b>	Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	Chest pain ≤ 35 (without priority symptoms)	<b>19A01</b>	Pri 2, Med Emer	
		<b>A</b>	<b>2</b>	Override	<b>19A02</b>	Pri 2, Med Emer	
Heat / Cold Exposure	<b>20</b>	<b>D</b>	<b>0</b>	Override	<b>20D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	Not alert	<b>20D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	Multiple victims (with priority symptoms)	<b>20D02</b>	Pri 1, Med Emer	
		<b>C</b>	<b>0</b>	Override	<b>20C00</b>	Pri 2, Med Emer	
		<b>C</b>	<b>1</b>	Heart attack or angina history	<b>20C01</b>	Pri 2, Med Emer	
		<b>B</b>	<b>0</b>	Override	<b>20B00</b>	Pri 2, Med Emer	
		<b>B</b>	<b>1</b>	Change in skin color	<b>20B01</b>	Pri 2, Med Emer	

		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>20B02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Alert</b>	<b>20A01</b>	<i>Pri 2, Med Emer</i>	
Hemorrhage / Lacerations	<b>21</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>21D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>21D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>21D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>DANGEROUS hemorrhage</b>	<b>21D03</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Abnormal breathing</b>	<b>21D04</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>21C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Hemorrhage through TUBES</b>	<b>21C01</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Hemorrhage of dialysis fistula</b>	<b>21C02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>21B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS hemorrhage</b>	<b>21B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS hemorrhage</b>	<b>21B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Bleeding disorder</b>	<b>21B03</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Blood thinners</b>	<b>21B04</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS hemorrhage</b>	<b>21A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>MINOR hemorrhage</b>	<b>21A02</b>	<i>Pri 2, Med Emer</i>	
Inaccessible Incident / Other Entrapments (Non-Vehicle)	<b>22</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>22D00</b>	<i>Rescue</i>	
		<b>D</b>	<b>1</b>	<b>Mechanical/Machinery ENTRAPMENT</b>	<b>22D01</b>	<i>Rescue</i>	
		<b>D</b>	<b>2</b>	<b>Trench collapse</b>	<b>22D02</b>	<i>Rescue</i>	
		<b>D</b>	<b>3</b>	<b>Structure collapse</b>	<b>22D03</b>	<i>Rescue</i>	
		<b>D</b>	<b>4</b>	<b>Confined space ENTRAPMENT</b>	<b>22D04</b>	<i>Rescue</i>	
		<b>D</b>	<b>5</b>	<b>Inaccessible terrain situation</b>	<b>22D05</b>	<i>Rescue</i>	
		<b>D</b>	<b>6</b>	<b>Mudslide/Avalanche</b>	<b>22D06</b>	<i>Rescue</i>	

		<b>B</b>	<b>0</b>	<b>Override</b>	<b>22B00</b>	<i>Rescue</i>	
		<b>B</b>	<b>1</b>	<b>No longer trapped (<b>unknown</b> injuries)</b>	<b>22B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>PERIPHERAL ENTRAPMENT only</b>	<b>22B02</b>	<i>Rescue</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status (investigation)/Other codes not applicable</b>	<b>22B03</b>	<i>Rescue</i>	
		<b>A</b>	<b>1</b>	<b>No longer trapped (<b>no</b> injuries)</b>	<b>22A01</b>	<i>Pri 2, Med Emer</i>	
Overdose / Poisoning (Ingestion)	<b>23</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>23D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious</b>	<b>23D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>CHANGING COLOR</b>	<b>23D02</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>23C00</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>23C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>23C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Antidepressants (tricyclic)</b>	<b>23C03</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Cocaine, methamphetamine (or derivatives)</b>	<b>23C04</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Narcotics (heroin)</b>	<b>23C05</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Acid or alkali (lye)</b>	<b>23C06</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>Unknown status/Other codes not applicable</b>	<b>23C07</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>8</b>	<b>Poison Control request for response</b>	<b>23C08</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>23B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>OVERDOSE (without priority symptoms)</b>	<b>23B01</b>	<i>Pri 2, Med Emer</i>	
		<b>Ω</b>	<b>1</b>	<b>POISONING (without priority symptoms)</b>	<b>23Ω01</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
Pregnancy / Childbirth / Miscarriage	<b>24</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>24D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>BREECH or CORD</b>	<b>24D01</b>	<i>Pri 1, Med Emer</i>	

		<b>D</b>	<b>2</b>	<b>Head visible/out</b>	<b>24D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>IMMINENT delivery (<math>\geq 5</math> months/20 weeks)</b>	<b>24D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>3rd TRIMESTER hemorrhage</b>	<b>24D04</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>HIGH RISK complications</b>	<b>24D05</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>6</b>	<b>Baby born (complications with baby)</b>	<b>24D06</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>7</b>	<b>Baby born (complications with mother)</b>	<b>24D07</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>24C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>2nd TRIMESTER hemorrhage or MISCHARRIAGE</b>	<b>24C01</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>1st TRIMESTER SERIOUS hemorrhage</b>	<b>24C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Baby born (no complications)</b>	<b>24C03</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>24B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Labor (delivery not imminent, <math>\geq 5</math> months/20 weeks)</b>	<b>24B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>24B02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>0</b>	<b>Override</b>	<b>24A00</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>1st TRIMESTER hemorrhage or MISCHARRIAGE</b>	<b>24A01</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
		<b>Ω</b>	<b>1</b>	<b>Waters broken (no contractions or presenting parts)</b>	<b>24Ω01</b>	<i>Pri 2, Med Emer</i>	
<b>Psychiatric / Abnormal Behavior / Suicide Attempt</b>	<b>25</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>25D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>25D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>DANGEROUS hemorrhage</b>	<b>25D02</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>25B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>SERIOUS hemorrhage</b>	<b>25B01</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>2</b>	<b>Non-SERIOUS or MINOR hemorrhage</b>	<b>25B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>THREATENING SUICIDE</b>	<b>25B03</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Jumper (threatening)</b>	<b>25B04</b>	<i>Pri 2, Med Emer</i>	<b>Quiet</b>
		<b>B</b>	<b>5</b>	<b>Near hanging, strangulation, or suffocation (alert)</b>	<b>25B05</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>6</b>	<b>Unknown status/Other codes not applicable</b>	<b>25B06</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Non-suicidal and alert</b>	<b>25A01</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>2</b>	<b>Suicidal (not threatening) and alert</b>	<b>25A02</b>	<i>NOTIFY PD</i>	
<b>Sick Person (Specific Diagnosis)</b>	<b>26</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>26D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>26D01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	<b>Override</b>	<b>26C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>ALTERED LEVEL OF CONSCIOUSNESS</b>	<b>26C01</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>26C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Sickle cell crisis/Thalassemia</b>	<b>26C03</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>26B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>26B01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>0</b>	<b>Override</b>	<b>26A00</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>No priority symptoms (complaint conditions 2-11 not identified)</b>	<b>26A01</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>2</b>	<b>NON-PRIORITY Complaints</b>	<b>26A02-A11</b>	<i>Med Transfer</i>	
		<b>Ω</b>	<b>1</b>	<b>This code is not in use</b>	<b>26Ω01</b>	<i>Med Transfer</i>	
		<b>Ω</b>	<b>9</b>	<b>NON-PRIORITY Complaints</b>	<b>26Ω09</b>	<i>Still Alarm / Pub Service</i>	
		<b>Ω</b>	<b>2</b>	<b>NON-PRIORITY Complaints</b>	<b>26Ω02-Ω28</b>	<i>Med Transfer</i>	
<b>Stab / Gunshot / Penetrating Trauma</b>	<b>27</b>	<b>D</b>	<b>0</b>	<b>Override</b>	<b>27D00</b>	<i>Pri 1, Med Emer</i>	

		<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>27D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>27D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>CENTRAL</b> wounds	<b>27D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Multiple</b> wounds	<b>27D04</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>Multiple</b> victims	<b>27D05</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>26B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>NON-RECENT</b> ( $\geq 6$ hrs) <b>single</b> <b>CENTRAL</b> wound	<b>27B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Known single PERIPHERAL</b> wound	<b>27B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>SERIOUS</b> hemorrhage	<b>27B03</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Unknown status/Other codes not applicable</b>	<b>27B04</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>5</b>	<b>OBVIOUS DEATH</b> (explosive GSW to head)	<b>27B05</b>	<i>NOTIFY PD</i>	
		<b>A</b>	<b>1</b>	<b>NON-RECENT</b> ( $\geq 6$ hrs) <b>PERIPHERAL</b> wounds ( <b>without priority symptoms</b> )	<b>27A01</b>	<i>Pri 2, Med Emer</i>	
Stroke (CVA)	<b>28</b>	<b>C</b>	<b>0</b>	<b>Override</b>	<b>28C00</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>28C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>28C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Speech problems</b>	<b>28C03</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Numbness, paralysis, or movement problems</b>	<b>28C04</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Vision problems</b>	<b>28C05</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Sudden onset of severe headache</b>	<b>28C06</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>STROKE</b> history	<b>28C07</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>8</b>	<b>Breathing normally <math>\geq 35</math></b>	<b>28C08</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>0</b>	<b>Override</b>	<b>28B00</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>28B01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Breathing normally <math>\leq 35</math></b>	<b>28A01</b>	<i>Pri 2, Med Emer</i>	

Traffic / Transportation Incidents	<b>29</b>	<b>D</b>	<b>0</b>	Override	<b>29D00</b>	MVA w/Entrapment	
		<b>D</b>	<b>1</b>	<b>MAJOR INCIDENT</b> (a through f)	<b>29D01</b>	MVA w/Entrapment	
		<b>D</b>	<b>2</b>	<b>HIGH MECHANISM</b> (k through s)	<b>29D02</b>	MVA w/Entrapment	
		<b>D</b>	<b>3</b>	<b>HAZMAT</b>	<b>29D03</b>	Haz-Mat	
		<b>D</b>	<b>4</b>	<b>Pinned</b> (trapped) victim	<b>29D04</b>	MVA w/Entrapment	
		<b>D</b>	<b>5</b>	Not alert	<b>29D05</b>	MVA w/Injury	
		<b>B</b>	<b>0</b>	Override	<b>29B00</b>	MVA w/Injury	
		<b>B</b>	<b>1</b>	Injuries	<b>29B01</b>	MVA w/Injury	
		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>29B02</b>	MVA w/Injury	
		<b>B</b>	<b>3</b>	Other hazards	<b>29B03</b>	MVA w/Injury	
		<b>B</b>	<b>4</b>	Unknown status/Other codes not applicable	<b>29B04</b>	MVA w/Injury	
		<b>A</b>	<b>0</b>	Override	<b>29A00</b>	MVA w/Injury	
		<b>A</b>	<b>1</b>	1st party caller with injury to <b>NOT DANGEROUS</b> body area	<b>29A01</b>	MVA w/Injury	
		<b>Ω</b>	<b>1</b>	No injuries (confirmed)	<b>29O01</b>	NOTIFY PD	
Traumatic Injuries (Specific)	<b>30</b>	<b>D</b>	<b>0</b>	Override	<b>30D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	<b>Unconscious</b> or Arrest	<b>30D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	Not alert	<b>30D02</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	Chest or Neck injury (with difficulty breathing)	<b>30D03</b>	Pri 1, Med Emer	
		<b>B</b>	<b>0</b>	Override	<b>30B00</b>	Pri 2, Med Emer	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS</b> body area	<b>30B01</b>	Pri 2, Med Emer	
		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>30B02</b>	Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS</b> body area	<b>30A01</b>	Pri 2, Med Emer	
		<b>A</b>	<b>2</b>	NON-RECENT ( $\geq$ 6hrs) injuries (without priority symptoms)	<b>30A02</b>	Pri 2, Med Emer	

		<b>Ω</b>	<b>1</b>	<b>No injuries (confirmed)</b>	<b>30O01</b>	<i>Med Transfer</i>	
Unconscious / Fainting (Near)	<b>31</b>	<b>E</b>	<b>0</b>	Override <b>INEFFECTIVE BREATHING</b> * (to be selected from Case Entry only)	<b>31E00</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>1</b>		<b>31E01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>0</b>	Override	<b>31D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious - AGONAL/INEFFECTIVE BREATHING</b>	<b>31D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Unconscious - Effective breathing</b>	<b>31D02</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	Not alert	<b>31D03</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>CHANGING COLOR</b>	<b>31D04</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	Override	<b>31C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Alert with abnormal breathing</b> <b>Fainting episode (s) and alert ≥ 35 (with cardiac history)</b>	<b>31C01</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>		<b>31C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Females 12-50 with abdominal pain</b> <b>Fainting episode (s) and alert ≥ 35 (without cardiac history)</b>	<b>31C03</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Fainting episode (s) and alert ≤ 35 (with cardiac history)</b>	<b>31A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>Fainting episode (s) and alert ≤ 35 (with cardiac history)</b>	<b>31A02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>3</b>	<b>Fainting episode (s) and alert ≤ 35 (without cardiac history)</b>	<b>31A03</b>	<i>Pri 2, Med Emer</i>	Quiet
Unknown Problem (Man Down)	<b>32</b>	<b>D</b>	<b>0</b>	Override	<b>32D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>LIFE STATUS QUESTIONABLE</b>	<b>32D01</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Standing, sitting, moving, or talking</b> <b>Medical Alarm (Alert) notifications (no patient information)</b>	<b>32B01</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>32B02</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>		<b>32B03</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>4</b>	<b>Caller's language not understood (no interpreter in center)</b>	<b>32B04</b>	<i>Pri 2, Med Emer</i>	
Transfer / Interfacility / Palliative Care	<b>33</b>	<b>D</b>	<b>0</b>	Override	<b>33D00</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	Suspected cardiac or respiratory arrest	<b>33D01</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	Just resuscitated and/or defibrillated (external)	<b>33D02</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>0</b>	Override	<b>33C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	Not alert (acute change)	<b>33C01</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	Abnormal breathing (acute onset)	<b>33C02</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	Significant hemorrhage or shock	<b>33C03</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	Possible acute heart problems or MI (heart attack)	<b>33C04</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	Acute severe pain	<b>33C05</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	Emergency response requested	<b>33C06</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	ACUITY I (no priority symptoms)	<b>33A01</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>2</b>	ACUITY II (no priority symptoms)	<b>33A02</b>	<i>Med Transfer</i>	
		<b>A</b>	<b>3</b>	ACUITY III (no priority symptoms)	<b>33A03</b>	<i>Med Transfer</i>	
Automatic Crash Notification	<b>34</b>	<b>D</b>	<b>0</b>	Override	<b>34D00</b>	<i>MVA w/Entrapment</i>	
		<b>D</b>	<b>1</b>	HIGH MECHANISM (h through n)	<b>34D01</b>	<i>MVA w/Entrapment</i>	
		<b>D</b>	<b>2</b>	Unconscious	<b>34D02</b>	<i>MVA w/Irjury</i>	
		<b>D</b>	<b>3</b>	NOT BREATHING / INEFFECTIVE BREATHING	<b>34D03</b>	<i>MVA w/Irjury</i>	
		<b>D</b>	<b>4</b>	LIFE STATUS QUESTIONABLE	<b>34D04</b>	<i>MVA w/Irjury</i>	
		<b>B</b>	<b>0</b>	Override	<b>34B00</b>	<i>MVA w/Irjury</i>	
		<b>B</b>	<b>1</b>	Injuries Involved	<b>34B01</b>	<i>MVA w/Irjury</i>	
		<b>B</b>	<b>2</b>	Multiple victims (one unit)	<b>34B02</b>	<i>MVA w/Irjury</i>	
		<b>B</b>	<b>3</b>	Multiple victims (additional units)	<b>34B03</b>	<i>MVA w/Irjury</i>	

		<b>B</b>	<b>4</b>	Air Bag/Other Automatic Sensor	<b>34B04</b>	MVA w/Injury	
		<b>A</b>	<b>0</b>	Injuries Involved	<b>34A00</b>	MVA w/Injury	
		<b>A</b>	<b>1</b>	NOT DANGEROUS injuries (1st party and single occupant)	<b>34A01</b>	MVA w/Injury	
		<b>Ω</b>	<b>1</b>	No Injuries (refer to Police)	<b>34O01</b>	NOTIFY PD	
Health Care Professional Admission	<b>35</b>	<b>D</b>	<b>0</b>	Override	<b>35D00</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	HCP not on scene (immediate life threat)	<b>35D01</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	HCP without AED on scene (immediate life threat)	<b>35D02</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	HCP and AED on scene (immediate life threat)	<b>35D03</b>	Pri 1, Med Emer	
		<b>C</b>	<b>0</b>	Override	<b>35C00</b>	Pri 2, Med Emer	
		<b>C</b>	<b>1</b>	HCP not on scene (emergency response)	<b>35C01</b>	Pri 1, Med Emer	
		<b>C</b>	<b>2</b>	HCP without AED on scene (emergency response)	<b>35C02</b>	Pri 2, Med Emer	
		<b>C</b>	<b>3</b>	HCP with AED on scene (emergency response)	<b>35C03</b>	Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	At patient within 1 hour	<b>35A01</b>	Med Transfer	
		<b>A</b>	<b>2</b>	At patient within 2 hours	<b>35A02</b>	Med Transfer	
		<b>A</b>	<b>3</b>	At patient within 3 hours	<b>35A03</b>	Med Transfer	
		<b>A</b>	<b>4</b>	At patient within 4 hours	<b>35A04</b>	Med Transfer	
Pandemic Flu	<b>36</b>	<b>D</b>	<b>0</b>	Override	<b>36D00</b>	Pri 2, Med Emer	
		<b>D</b>	<b>1</b>	INEFFECTIVE BREATHING with flu symptoms	<b>36D01</b>	Pri 2, Med Emer	
		<b>D</b>	<b>2</b>	Not alert with flu symptoms	<b>36D02</b>	Pri 2, Med Emer	
		<b>D</b>	<b>3</b>	DIFFICULTY SPEAKING BETWEEN BREATHS with flu symptoms	<b>36D03</b>	Pri 2, Med Emer	
		<b>D</b>	<b>4</b>	CHANGING COLOR with flu symptoms	<b>36D04</b>	Pri 2, Med Emer	

		<b>C</b>	<b>0</b>	<b>Override</b> <b>Chest pain &gt;= 35 with single flu symptom</b>	<b>36C00</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Abnormal breathing with single flu symptoms</b>	<b>36C01</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Override</b> <b>Chest Pain &gt;=35 with multiple flue symptoms</b>	<b>36C02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>0</b>	<b>Override</b> <b>Chest pain &lt; 35 with single flu symptom</b>	<b>36A00</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Abnormal breathing with multiple flu symptoms</b>	<b>36A01</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>Flu symptoms only (cough fever chills or sweats sore throat diarrhea body aches headache etc)</b>	<b>36A02</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>3</b>	<b>Chest pain &lt; 35 with multiple flu symptoms</b>	<b>36A03</b>	<i>Pri 2, Med Emer</i>	
		<b>Ω</b>	<b>1</b>		<b>36Ω01</b>	<i>Med Transfer</i>	
		<b>Ω</b>	<b>2</b>	<b>Chest pain &lt; 35 with multiple flu symptoms</b>	<b>36Ω02</b>	<i>Med Transfer</i>	